



ELIXIR SURGICAL

*Bringing Reliability, Innovation and Value to
Healthcare*



Small Fragment Instruments Catalogue

Elixir Surgical is one of the most dedicated medical instruments manufacturing company; we continue our commitment to advancing surgical performance with our world class service, support, education and peer communities

Drill Bit - S.S. Quick Coupling End

Cat No.	Dia (mm)	Length (mm)
Stainless Steel		
260.200	2.0	100
260.205	2.0	125
260.250	2.5	115
260.254	2.5	180
260.255	2.5	200
260.270	2.7	125
260.275	2.7	200



Bone Tap Quick Coupling

Cat No.	Dia (mm)	Thread Length (mm)	Total Length (mm)
Stainless Steel			
264.025	3.5	50	110
264.035	3.5	50	175
264.037	4.0	85	110



Drill Bit - Plain Shank / Jacob Chuck End

Cat No.	Dia (mm)	Length (mm)
Stainless Steel		
261.620	2.0	100
261.622	2.0	200
261.625	2.5	115
261.626	2.5	200
261.627	2.7	130
261.629	2.7	200



Bone Tap with T - Handle

Cat No.	Dia (mm)	Thread Length (mm)	Total Length (mm)
Stainless Steel			
263.025	3.5	50	125
263.035	3.5	50	200
263.037	4.0	50	125



301.020 Hexagonal Screw Driver with Sleeve
2.5mm Tip



301.025 Hexagonal Screw Driver with Self Holding
Sleeve 2.5mm Tip



301.040 Small Hexagonal Screw Driver 2.5mm Tip



301.060 Screw Shaft Q.C. End - 2.5mm Tip



302.010 Small Plate Bender (Pair)



302.050 Plate Bender for Reconstruction Plates
for 3.5mm Plates



303.010 Small Depth Gauge



304.010 Small Neutral & Loaded Drill Guide



Small Fragment Instruments


305.020 Counter Sink with T - Handle - 6.0mm Head
(for 2.7, 3.5 & 4.0mm Screws)



305.050 Counter Sink - Q.C End - 6.0mm Head
(for 2.7, 3.5 & 4.0mm Screws)




306.010 Quick Coupling Handle T - Type




306.020 Quick Coupling Handle (Fibre Handle)



306.030 Quick Coupling Adaptor for Drill Bits



306.040 Quick Coupling Tap handle - Long, T- Type



307.040 Tap Sleeve - 3.5mm




307.060 Drill & tap Sleeve Combined - 2.5 / 3.5mm



307.090 Insert Drill Guide Sleeve 2.5mm



322.020 Guide Wire Introducer with Four Pegs



322.030 K. Wire Bender



323.010 Wire Passer - Small



323.020 Wire Passer - Medium



324.010 Plier Cum Wire Bender



324.030 Plier Cum Wire Bender Cum Wire Cutter - 9"



324.050 Flat Nose Plier



Small Fragment Instruments

328.010 Triple Drill Guide for 2.0mm Wires



328.020 Triple Drill Guide for 2.5mm Wires




324.020 Plier Cum Wire Bender Cum Wire Cutter - 6"



324.045 Wire Cutter - Double Action, Length - 250mm



325.010 Steinman Pin Introducer with S.S. Chuck & Key



326.010 Bone Awl with Eye 2.0mm



340.010 Self Centering Bone Holding Forceps 150mm

340.020 Self Centering Bone Holding Forceps 190mm



341.020 Reduction Forceps - Serrated - Ratchet Lock 170mm



341.030 Reduction Forceps - Serrated - Speed Lock
Length - 170mm

341.040 Reduction Forceps - Serrated - Speed Lock
Length - 200mm

342.020 Reduction Forceps -Pointed- Ratchet Lock
Length 170mm

342.030 Reduction Forceps -Pointed- Ratchet Lock
Length 200mm

342.040 Reduction Forceps- Pointed- Speed
Lock - 170mm

379.010 Hohmann Retractor 6mm Wide, Short Narrow
Point, 160mm Length

379.015 Hohmann Retractor 8mm Wide, Short
Narrow Point, 160mm Length

379.020 Hohmann Retractor 15mm Wide,
160mm Length

379.025 Hohmann Retractor 8mm Wide, Short
Narrow Tip, 220mm Length



Small Fragment Instruments

-
- 400.010 Small Fragment Instrument Box with Two Trays for Instruments & One Tray for Screws with Screw Holding Forceps



-
- 400.025 Small Screw Box with Screw Tray & Screw Holding Forceps for 3.5mm Cortical, 3.5mm Cancellous & 4.0mm Cancellous



Cat No.	Small Fragment Instrument set- Graphic Box	Units
IS.114		
260.250	<i>Drill Bit - S.S. - Quick Coupling End Dia. 2.5mm X 115mm Long</i>	2
260.320	<i>Drill Bit - S.S. - Quick Coupling End Dia. 3.2mm X 130mm Long</i>	2
263.025	<i>Bone Tap with T - Handle Dia. 3.5mm Thread Length 50mm, Total Length 125mm</i>	2
263.030	<i>Bone Tap with T -Handle Dia. 3.5mm -Cancellous, Thread Length 50mm, Total Length 125mm</i>	2
301.040	<i>Small Hexagonal Screw Driver 2.5mm Tip</i>	1
301.060	<i>Screw Driver Shaft, Q.C. End 2.5mm Tip</i>	1
302.010	<i>Small Plate Bender - Pair</i>	1
303.010	<i>Small Depth Gauge</i>	1
304.010	<i>Small Neutral & Loaded Drill Guide</i>	1
305.020	<i>Counter Sink with T - Handle - 6.0mm Head (for 2.7, 3.5 & 4.0 Screws)</i>	1
306.010	<i>Quick Coupling Handle T-Type</i>	1
307.060	<i>Drill & Tap Sleeve Combined - 2.5/3.5mm</i>	1
307.090	<i>Insert Drill Sleeve 2.5mm</i>	1
322.030	<i>K.Wire Bender</i>	1
324.010	<i>Plier Cum Wire Bender</i>	1
341.010	<i>Reduction forceps - Serrated Ratchet Lock - 140mm</i>	1
342.010	<i>Reduction Forceps - Pointed Ratchet Lock - 140mm</i>	1
340.020	<i>Self Centering Bone Holding Forceps 190mm</i>	1
371.000	<i>Sharp Hook</i>	1
379.015	<i>Hohmann Retractor 8mm Wide, Short Narrow Point, 160mm Length</i>	2
379.020	<i>Hohmann Retractor 15mm Wide, 160mm Length</i>	2
381.008	<i>Periosteal Elevator - Straight 8mm</i>	1
400.108	<i>Graphic Aluminium Box for Small Fragment Instruments</i>	1